

Certificate of Analysis

Powered by Confident Cannabis

Global Cannabinoids

6445 S Tenaya Way NV 89113 formulation@globalcannabinoids.io (904) 312-1834 Lic. #74911

Sample: 1908CNS0177.0785

Strain: Hemp

Batch #; Lot #: BCR190814V200P

Sample Received: 08/27/2019; Report Created: 08/30/2019

Hemp Oil Extract - Vape Pen

Concentrates & Extracts

Harvest Process Lot: ; METRC Batch: ; METRC Sample:





Safety

Not Tested Pesticides	Not Tested Microbials	Not Tested Mycotoxins	Not Tested
Not Tested Solvents	Not Tested Metals	Not Tested Foreign Matter	

LOQ

Cannabinoids

ND	40.277%	ND	NT
Total THC	Total CBD	THCa	Moisture

Analyte	LOQ	Mass	Mass
	%	%	mg/g
CBDV		<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
THCV	0.050	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
CBD	0.046	40.277	402.77
CBG	0.041	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
CBDa	0.024	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
CBGa	0.030	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
CBN	0.024	4.015	40.15
Δ9-ΤΗС	0.085	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Δ8-ΤΗС	0.080	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
CBC	0.016	5.022	50.22
THCa	0.045	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
CBCa	0.073	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Total		49.314	493.14

Total THC = THCa * $0.877 + \Delta 9$ -THC + $\Delta 8$ -THC Total CBD = CBDa * 0.877 + CBD LOQ = 0.877 + CBD LOLimit of Quantitation; The reported result is based on a dry-weight basis using the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Terpenes

Analyte

Mass Mass

Notes:

2952 Meade Ave Las Vegas, NV (702) 304-7878 http://www.canalysislab.com

Trevor Low Lab Director

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866



This product has been tested by Canalysis Laboratories using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Canalysis Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Canalysis Laboratories.